



K 5 Power Control

For even greater control: The K 5 Power Control pressure washer with application consultant via app, G 145 Q Power Control spray gun, Vario Power spray lance and Kärcher Plug 'n' Clean system.















1 Home & Garden app

- The Kärcher Home & Garden app makes you a cleaning expert.
- Make use of our extensive K\u00e4rcher knowledge for the perfect cleaning results.

2 Power Control spray gun and Quick Connect spray lances

- The optimal setting for every surface. Three pressure settings and one detergent setting.
- Full control the manual display shows the settings that have been

3 Plug 'n' Clean - the Kärcher detergent system


- Innovative insertion system for Kärcher detergent bottles.
- For quick, convenient and comfortable application of detergents with the pressure washer.

4 Telescopic handle made from high-quality aluminium

- Can be adapted to people of different heights.
- The height of the telescopic handle can be adjusted by pulling.

TECHNICAL DATA AND EQUIPMENT





K 5 Power Control

- Power Control spray gun with pressure level display
 Maximum stability thanks to low centre of gravity, hose guide and larger base
- Highly efficient water-cooled motor

Technical data		
Order no.		1.324-550.0
EAN code		4054278618265
Current type	V / Hz	230 / 50
Pressure	bar / MPa	20 - max. 145 / 2 - max. 14.5
Flow rate	I/h	max. 500
Inlet temperature	°C	max. 40
Connected load	kW	2.1
Weight without accessories	kg	12.95
Dimensions (L × W × H)	mm	402 × 306 × 588

Equipment					
High-pressure spray gun		G 160 Q Power Control	Soft bag		
Vario Power Jet		•			
Dirt Blaster					
High-pressure hose	m	10			
Quick Connect on the side of the dev	ice				
Detergent application via		Plug 'n' Clean system			
Water suction					
Integrated water filter					
A3/4" garden hose connector adapte	r				
Telescopic handle					
Water-cooled motor					

■ Included in the scope of supply.

K 5 POWER CONTROL 1.324-550.0































							_
		Order no.			Price	Description	
Spray lances			·				
VP 145 vario power jet for K 4-K 5	1	2.642-725.0				Vario power spray lance for pressure washers in classes K 4 to K 5. Continuously adjustable from low-pressure detergent jet to high-pressure jet, simply by turning the spray lance.	
DB 145 dirt blaster for K 4-K 5	2	2.642-728.0				Dirt blaster with powerful middle rotary nozzle for Kärcher pressure washers in classes K 4 and K 5. For particularly stubborn dirt like that on mossy or weathered surfaces.	•
TLA 4 telescopic spray lance	3	2.644-190.0				Simple cleaning at (almost) every point: The telescopic spray lance easily reaches areas that are difficult to access thanks to its 180° adjustable hinge.	1
Façade & glass cleaning kit	4	2.644-249.0				Set comprising the telescopic spray lance TLA 4 and the façade and glass cleaning attachment. For easy cleaning of objects that are difficult to access such as house façades or conservatories.	
Splash guard	5	2.642-706.0				Transparent splash guard for class K 2 to K 7 Kärcher pressure washers protects the operator and surrounding area from spray water. Ideal for cleaning corners and edges.	
Angled spray lance	6	2.638-817.0				Extra-long angled spray lance (about 1 m) for easy cleaning of difficult to reach areas, e.g. roof gutters or vehicle underbodies.	
1-step lance extension	7	2.643-240.0				Extends spray lance by 0.4 m. For effective cleaning of difficult to reach areas. Suitable for all Kärcher accessories.	
VP 180 S vario power jet short 360° for K 2-K 7	8	2.643-254.0				VP 180 S: The vario power jet short 360° with infinitely variable pressure regulation and adjustable 360° joint is ideal for cleaning areas that are difficult to reach.	
Telescopic spray lance	9	2.642-347.0				Telescopic spray lance (1.20 m - 4 m) for easy cleaning of difficult to reach areas. With shoulder strap, bayonet connection and integrated, ergonomically adjustable trigger gun. Weight: ca. 2 kg	. 🗆
Surface cleaners							
T 7 Plus T-Racer surface cleaner	10	2.644-074.0				Power nozzle for ultimate cleaning power, even in corners and along edges: The T 7 Plus T-Racer surface cleaner with rinse function – for effective and splash-free cleaning of large areas.	
T 5 T-Racer surface cleaner	11	2.644-084.0				Thorough and splash-free cleaning over large areas: The T 5 T-Racer surface cleaner. The adjustable nozzle position means the surface cleaner can be used to clean hard and delicate surfaces alike.	
PS 30 power scrubber surface cleaner	12	2.644-123.0				The PS 30 power scrubber, with its three integrated high-pressure nozzles, powerfully removes stubborn dirt from various surfaces, while saving time. Ideal for stairs and edges. Includes integrated squeegee blade to remove the dirty water.	
PS 30 Plus power scrubber surface cleaner	13	2.644-212.0				The PS 30 Plus power scrubber removes stubborn dirt with its three high-pressure nozzles. Thanks to the swivelling side nozzle, all corners and edges are effortlessly cleaned.	
Brushes			,				
WB 150 power brush	14	2.643-237.0				WB 150 power brush for splash-free cleaning of sensitive surfaces. The effective combination of high pressure and manual brush pressure saves energy, water and up to 30% time.	

[■] Included in the scope of supply.

[☐] Available accessories.

K 5 POWER CONTROL 1.324-550.0































							$\overline{}$
		Order no.			Price	Description	
WB 120 rotating wash brush	15	2.644-060.0				Rotating wash brush with interchangeable attachment for	t
						cleaning all smooth surfaces such as paint, glass or plastic. Quick and easy attachment changing thanks to the integrat-	
Rotating wash brush	16	2.644-061.0				ed release lever. Ideal for cleaning smooth surfaces such as paint, glass or	+
Notating wasii bi usii	10	2.044 001.0				plastic: The rotating wash brush with interchangeable attachment.	
WB 120 rotating wash brush car &	17	2.644-129.0				Gently cleans cars and motorbikes: The rotating wash brush	
bike						with innovative soft microfibre interchangeable attachment Car & Bike. Machine washable at 60 °C.	. L
WB 60 soft surface wash brush	18	2.643-233.0				Soft flat brush for cleaning larger areas such as car, caravar boat, conservatory or roller shutters. Good area perfor-	1,
Wheel washing brush	19	2.643-234.0				mance with working width of 248 mm. Wheel washing brush for effective cleaning also in difficult	+
wifeer washing brosh	19	2.043-234.0				to reach areas. Uniform 360° water distribution for a perfect cleaning result.	
Wash brush	20	6.903-276.0				Wash brush with soft bristles for cleaning sensitive areas and areas which are difficult to access in the outside area. Suitable for all Kärcher K 2 to K 7 pressure washers.	
Trigger guns			1			Suitable for all Narcher N 2 to N 7 pressure washers.	
G 145 Q gun	21	2.643-634.0				High-pressure gun with LED display for the display of dif-	Τ
						ferent pressure stages and the cleaning agent mode. With Quick Connect. For Kärcher Power Control and Full Control pressure washers in classes K 4 to K 5.	
High-pressure replacement hose: s	ystem	from 2009 with	Quick Connect sys	stem		pressure washers in classes it is to it o.	Ė
H 9 Q high-pressure hose Quick Connect	22	2.641-721.0				9 m high-pressure replacement hose for K 2 to K 7 pressure washers manufactured since 2009, on which the hose is	I
						attached to the spray gun and device with a Quick Connect quick coupling. 180 bar, 60°C.	
High-Pressure replacement hose ki	it syste	m from 1992	'				
Extension hose adapter kit	23	2.643-037.0				Two-part adapter set for connecting an extension hose with	
						screw thread to a pressure washer with a Quick Connect system. Not for hose reel machines.	
High-pressure extension hose: Syst	tem for	devices with Qu	ick Connect syste	em			
XH 10 Q Quick Connect extension hose	24	2.641-710.0				High-pressure hose extension for greater flexibility. 10-m, robust DN 8 quality hose for excellent durability. For K 3-K 7 devices with Quick Connect adapter.	
XH 6 Q extension hose Quick	25	2.641-709.0				High-pressure extension hose for greater flexibility. 6 m	Ť
Connect						robust DN 8 quality hose for durability. For K 2 to K 7 serie from 2008 with Quick Connect adapter. Connect between	es [
Dino classing						spray gun and high-pressure hose.	_
Pipe cleaning PC 20 roof gutter and pipe clean-	26	2.642-240.0				The gutter and pipe cleaning kit works all by itself - with	T
ing kit	20	2.042 240.0				high pressure. It easily cleans outflows, pipe blockages and gutters. Hose length: 20m.	
PC 15 pipe cleaning kit	27	2.637-767.0				Pipe cleaning kit with 15 m hose for clearing blockages in pipes, drains and downpipes.	
PC 7.5 pipe cleaning kit	28	2.637-729.0				Pipe cleaning kit with 7.5 m hose for clearing blockages in pipes, drains and downpipes.	[
Foam jet		1	1			F-F-1-, 1-dino did derripipes.	_
FJ 6 foam jet	29	2.643-147.0				FJ 6 foam nozzle for cleaning with powerful foam (e.g. ultra	
						foam cleaner). For cars, motorcycles etc. and for applying cleaning products to stone and wood surfaces and façades.	

[■] Included in the scope of supply.

Available accessories.

K 5 POWER CONTROL 1.324-550.0























		Order no.		Price	Description
FJ 3 foam jet	30	2.643-150.0			FJ 3 foam nozzle for cleaning with powerful foam (e.g. ultra foam cleaner). For cars, motorcycles etc. and for applying cleaning products to stone and wood surfaces and façades.
FJ 10 C Connect 'n' Clean foam jet + Ultra Foam Cleaner	31	2.643-143.0			Ultra foam cleaner + quick-change system FJ 10 C Connect 'n' Clean foam nozzle. Easy change between different deter- gents with just a simple click.
FJ 10 C foam jet Connect 'n' Clean with car shampoo 3-in-1	32	2.643-144.0			Car shampoo + quick-change system FJ 10 C Connect 'n' Clean foam nozzle. Easy change between different deter- gents with just a simple click.
Miscellaneous					
SH 5 suction hose	33	2.643-100.0			Environmentally friendly 5-metre long suction hose for sucking up water from alternative sources such as water butts or water containers.
SH 3 suction hose	34	2.643-101.0			3 metre suction hose for drawing water from alternative sources such as water butts and barrels.
Sand and wet-blasting kit	35	2.638-792.0			Sand and wet-blasting kit for removing rust, paint and stubborn dirt using Kärcher abrasive.
Vario joint	36	2.640-733.0			Vario joint, rotates 180° for cleaning difficult to reach areas. For connection between gun and accessory or extension lance and accessory.
Water filter	37	4.730-059.0			Water filter protects pressure washer pumps against dirt particles from dirty water.
	38	2.642-794.0			Water filter to protect the high-pressure pump against dirt particles from contaminated water.
Anti-twist adapter	39	2.644-257.0			The anti-twist adapter eliminates loops in the high-pressure hose for guaranteed twist-free working. For all high-pressure hoses with a Quick Connect adapter on the gun.
O-ring set	40	2.640-729.0			Replacement O-ring set for easy replacement of O-rings and safety plugs on pressure washer accessories.

[■] Included in the scope of supply.

Available accessories.

K 5 POWER CONTROL 1.324-550.0





















		Order no.			Price	Description	
Hose storage and hose trolley							,
Premium Hose Reel HR 7.315 Kit 5/8"	1	2.645-165.0				Watering station with detachable hose reel, storage option for nozzles and sprinklers, large storage box and fixing option for spray lances. Fully equipped.	
Hose Trolley HT 3.420 Kit 5/8"	2	2.645-167.0				Fully assembled hose trolley with height-adjustable handle, angled hose connection, freewheeling crank handle and sophisticated folding function for space-saving storage.	
Hoses							
Hose set for pressure washers	3	2.645-156.0				Hose set for high-pressure cleaning and garden watering. With 10 m PrimoFlex* hose (3/4"), G3/4 tap adaptor, universal hose connector and universal connector with Aqua Stop.	
Water supply hose set	4	2.645-258.0				Hose set for water supply (pressure washer, garden watering). With 10 m PrimoFlex* hose (½"), hose connector with and without Aqua Stop, universal connection for taps without thread.	
PrimoFlex* hose 1/2" - 20 m	5	2.645-138.0				The robust PrimoFlex* (1/2") garden hose is a 20 m long, temperature-resistant (from -20 to 65°C) and physiologicall safe water hose with pressure-proof coating. Bursting pressure: 24 bar.	
PrimoFlex® hose 3/4" - 25 m	6	2.645-142.0				PrimoFlex® quality garden hose (3/4®). 25 m long. With pressure-resistant woven reinforcement. Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from -20 to 65 °C.	
Hose Performance Plus 1/2" -20m	7	2.645-318.0					
Hose Performance Plus 3/4" -25m	8	2.645-322.0					
Performance Premium hose, 1/2" -20 m	9	2.645-324.0					
Hose connection systems							
Universal hose coupling Plus	10	2.645-193.0				Universal hose coupling plus with soft plastic recessed grips for comfortable handling. Compatible with all click systems.	Ш
Universal hose coupling Plus with Aqua Stop	11	2.645-194.0				Universal hose coupling plus with Aqua Stop and soft plastic recessed grips for comfortable handling. Compatible with all click systems.	

[■] Included in the scope of supply.

Available accessories.