





## K 5 Power Control Home

For even greater control: K 5 Power Control pressure washer with application consultant via app, G 160 Q Power Control spray gun, Vario Power spray lance and Plug 'n' Clean system. Incl. Home Kit.



### 1 Home & Garden app

- The Kärcher Home & Garden app makes you a cleaning expert.
- Make use of our extensive Kärcher knowledge for the perfect cleaning results.

### 2 Power Control spray gun and Quick Connect spray lances

- The optimal setting for every surface. Three pressure settings and one detergent setting.
- Full control - the manual display shows the settings that have been set.

### 3 Plug 'n' Clean - the Kärcher detergent system

- Innovative insertion system for Kärcher detergent bottles.
- For quick, convenient and comfortable application of detergents with the pressure washer.

### 4 Telescopic handle made from high-quality aluminium

- Can be adapted to people of different heights.
- The height of the telescopic handle can be adjusted by pulling.



Page 2  
 5.Object  
 page6357514764298\_  
 std\_1\_272x272px.jpg  
 wurde anstatt  
 PAGE6357514764298\_  
 std\_1\_272x272px.JPG  
 plaziert.  
 6.Object  
 page6357512644190\_  
 std\_01\_272x272px.jpg  
 wurde anstatt  
 PAGE6357512644190\_  
 std\_01\_272x272px.JPG  
 plaziert.  
 page6357512642347\_  
 std\_1\_272x272px.jpg  
 wurde anstatt

## K 5 Power Control Home

- Power Control spray gun with pressure level display
- Maximum stability thanks to low centre of gravity, hose guide and larger base
- Highly efficient water-cooled motor

### Technical data

<b>Order no.</b>	1.324-553.0	
<b>EAN code</b>	4054278786384	
<b>Current type</b>	<b>V / Hz</b>	230 / 50
<b>Pressure</b>	<b>bar / MPa</b>	20 - max. 145 / 2 - max. 14.5
<b>Flow rate</b>	<b>l/h</b>	max. 500
<b>Inlet temperature</b>	<b>°C</b>	max. 40
<b>Connected load</b>	<b>kW</b>	2.1
<b>Weight without accessories</b>	<b>kg</b>	12.95
<b>Dimensions (L × W × H)</b>	<b>mm</b>	402 × 306 × 588

### Equipment


<b>High-pressure spray gun</b>	G 160 Q Power Control	<b>Soft bag</b>	■
<b>Vario Power Jet</b>	■		
<b>Dirt Blaster</b>	■		
<b>High-pressure hose</b>	<b>m</b>	10	
<b>Quick Connect on the side of the device</b>	■		
<b>Detergent application via</b>	Plug 'n' Clean system		
<b>Integrated water filter</b>	■		
<b>A3/4" garden hose connector adapter</b>	■		
<b>Home Kit</b>	T 5 surface cleaner, stone and façade cleaner, 3in1, 1 l		
<b>Telescopic handle</b>	■		
<b>Water-cooled motor</b>	■		

■ Included in the scope of supply.

# K 5 POWER CONTROL HOME

## 1.324-553.0

**KÄRCHER**



		Order no.					Price	Description	
<b>Surface cleaners</b>									
T 5 T-Racer surface cleaner	1	2.644-084.0						Thorough and splash-free cleaning over large areas: The T 5 T-Racer surface cleaner. The adjustable nozzle position means the surface cleaner can be used to clean hard and delicate surfaces alike.	■
T 7 Plus T-Racer surface cleaner	2	2.644-074.0						Power nozzle for ultimate cleaning power, even in corners and along edges: The T 7 Plus T-Racer surface cleaner with rinse function - for effective and splash-free cleaning of large areas.	□
PS 30 power scrubber surface cleaner	3	2.644-123.0						The PS 30 power scrubber, with its three integrated high-pressure nozzles, powerfully removes stubborn dirt from various surfaces, while saving time. Ideal for stairs and edges. Includes integrated squeegee blade to remove the dirty water.	□
PS 30 Plus power scrubber surface cleaner	4	2.644-212.0						The PS 30 Plus power scrubber removes stubborn dirt with its three high-pressure nozzles. Thanks to the swivelling side nozzle, all corners and edges are effortlessly cleaned.	□
<b>Spray lances</b>									
VP 145 vario power jet for K 4-K 5	5	2.642-725.0						Vario power spray lance for pressure washers in classes K 4 to K 5. Continuously adjustable from low-pressure detergent jet to high-pressure jet, simply by turning the spray lance.	■
DB 145 dirt blaster for K 4-K 5	6	2.642-728.0						Dirt blaster with powerful middle rotary nozzle for Kärcher pressure washers in classes K 4 and K 5. For particularly stubborn dirt like that on mossy or weathered surfaces.	■
TLA 4 telescopic spray lance	7	2.644-190.0						Simple cleaning at (almost) every point: The telescopic spray lance easily reaches areas that are difficult to access thanks to its 180° adjustable hinge.	□
Façade & glass cleaning kit	8	2.644-249.0						Set comprising the telescopic spray lance TLA 4 and the façade and glass cleaning attachment. For easy cleaning of objects that are difficult to access such as house façades or conservatories.	□
Splash guard	9	2.642-706.0						Transparent splash guard for class K 2 to K 7 Kärcher pressure washers protects the operator and surrounding area from spray water. Ideal for cleaning corners and edges.	□
Angled spray lance	10	2.638-817.0						Extra-long angled spray lance (about 1 m) for easy cleaning of difficult to reach areas, e.g. roof gutters or vehicle underbodies.	□
1-step lance extension	11	2.643-240.0						Extends spray lance by 0.4 m. For effective cleaning of difficult to reach areas. Suitable for all Kärcher accessories.	□
VP 180 S vario power jet short 360° for K 2-K 7	12	2.643-254.0						VP 180 S: The vario power jet short 360° with infinitely variable pressure regulation and adjustable 360° joint is ideal for cleaning areas that are difficult to reach.	□
Telescopic spray lance	13	2.642-347.0						Telescopic spray lance (1.20 m - 4 m) for easy cleaning of difficult to reach areas. With shoulder strap, bayonet connection and integrated, ergonomically adjustable trigger gun. Weight: ca. 2 kg	□
<b>Brushes</b>									
WB 150 power brush	14	2.643-237.0						WB 150 power brush for splash-free cleaning of sensitive surfaces. The effective combination of high pressure and manual brush pressure saves energy, water and up to 30% time.	□

■ Included in the scope of supply. □ Available accessories.

# K 5 POWER CONTROL HOME

## 1.324-553.0

**KÄRCHER**



Page 2  
 0.Object  
 page6357512644060\_...  
 wurde anstatt  
 PAGE6357512644084\_...  
 std\_03\_272x272px.JPG  
 plziert. 21  
 1.Object  
 page6357512644063\_...  
 wurde anstatt  
 PAGE6357512644084\_...  
 std\_03\_272x272px.JPG  
 plziert. 28

		Order no.				Price	Description	
WB 120 rotating wash brush	15	2.644-060.0					Rotating wash brush with interchangeable attachment for cleaning all smooth surfaces such as paint, glass or plastic. Quick and easy attachment changing thanks to the integrated release lever.	<input type="checkbox"/>
Rotating wash brush	16	2.644-061.0					Ideal for cleaning smooth surfaces such as paint, glass or plastic: The rotating wash brush with interchangeable attachment.	<input type="checkbox"/>
WB 120 rotating wash brush car & bike	17	2.644-129.0					Gently cleans cars and motorbikes: The rotating wash brush with innovative soft microfibre interchangeable attachment Car & Bike. Machine washable at 60 °C.	<input type="checkbox"/>
WB 60 soft surface wash brush	18	2.643-233.0					Soft flat brush for cleaning larger areas such as car, caravan, boat, conservatory or roller shutters. Good area performance with working width of 248 mm.	<input type="checkbox"/>
Wheel washing brush	19	2.643-234.0					Wheel washing brush for effective cleaning also in difficult to reach areas. Uniform 360° water distribution for a perfect cleaning result.	<input type="checkbox"/>
Wash brush	20	6.903-276.0					Wash brush with soft bristles for cleaning sensitive areas and areas which are difficult to access in the outside area. Suitable for all Kärcher K 2 to K 7 pressure washers.	<input type="checkbox"/>
<b>Trigger guns</b>								
G 145 Q gun	21	2.643-634.0					High-pressure gun with LED display for the display of different pressure stages and the cleaning agent mode. With Quick Connect. For Kärcher Power Control and Full Control pressure washers in classes K 4 to K 5.	<input type="checkbox"/>
<b>High-pressure replacement hose: system from 2009 with Quick Connect system</b>								
H 9 Q high-pressure hose Quick Connect	22	2.641-721.0					9 m high-pressure replacement hose for K 2 to K 7 pressure washers manufactured since 2009, on which the hose is attached to the spray gun and device with a Quick Connect quick coupling. 180 bar, 60°C.	<input type="checkbox"/>
<b>High-Pressure replacement hose kit system from 1992</b>								
Extension hose adapter kit	23	2.643-037.0					Two-part adapter set for connecting an extension hose with screw thread to a pressure washer with a Quick Connect system. Not for hose reel machines.	<input type="checkbox"/>
<b>High-pressure extension hose: System for devices with Quick Connect system</b>								
XH 10 Q Quick Connect extension hose	24	2.641-710.0					High-pressure hose extension for greater flexibility. 10-m, robust DN 8 quality hose for excellent durability. For K 3-K 7 devices with Quick Connect adapter.	<input type="checkbox"/>
XH 6 Q extension hose Quick Connect	25	2.641-709.0					High-pressure extension hose for greater flexibility. 6 m robust DN 8 quality hose for durability. For K 2 to K 7 series from 2008 with Quick Connect adapter. Connect between spray gun and high-pressure hose.	<input type="checkbox"/>
<b>Pipe cleaning</b>								
PC 20 roof gutter and pipe cleaning kit	26	2.642-240.0					The gutter and pipe cleaning kit works all by itself - with high pressure. It easily cleans outflows, pipe blockages and gutters. Hose length: 20m.	<input type="checkbox"/>
PC 15 pipe cleaning kit	27	2.637-767.0					Pipe cleaning kit with 15 m hose for clearing blockages in pipes, drains and downpipes.	<input type="checkbox"/>
PC 7.5 pipe cleaning kit	28	2.637-729.0					Pipe cleaning kit with 7.5 m hose for clearing blockages in pipes, drains and downpipes.	<input type="checkbox"/>
<b>Foam jet</b>								
FJ 6 foam jet	29	2.643-147.0					FJ 6 foam nozzle for cleaning with powerful foam (e.g. ultra foam cleaner). For cars, motorcycles etc. and for applying cleaning products to stone and wood surfaces and façades.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.



# K 5 POWER CONTROL HOME

## 1.324-553.0

**KÄRCHER**



Page 1

2.Object

page6750832645156\_

std\_2\_272x272px.jpg

wurde anstatt

PAGE6750832645156\_

std\_2\_272x272px.JPG

plaziert.

3.Object

page6750832645258

std\_1\_272x272px.jpg

wurde anstatt

PAGE6750832645258\_

std\_1\_272x272px.JPG

plaziert.

4.Object page675083pri-

mo\_flex\_hose\_

std\_4\_272x272px.jpg

wurde anstatt PAGE-

		Order no.					Price	Description	
<b>Hose storage and hose trolley</b>									
Premium Hose Reel HR 7.315 Kit 5/8"	1	2.645-165.0						Watering station with detachable hose reel, storage option for nozzles and sprinklers, large storage box and fixing option for spray lances. Fully equipped.	<input type="checkbox"/>
Hose Trolley HT 3.420 Kit 5/8"	2	2.645-167.0						Fully assembled hose trolley with height-adjustable handle, angled hose connection, freewheeling crank handle and sophisticated folding function for space-saving storage.	<input type="checkbox"/>
<b>Hoses</b>									
Hose set for pressure washers	3	2.645-156.0						Hose set for high-pressure cleaning and garden watering. With 10m PrimoFlex® hose (3/4"), G3/4 tap adaptor, universal hose connector and universal connector with Aqua Stop.	<input type="checkbox"/>
Water supply hose set	4	2.645-258.0						Hose set for water supply (pressure washer, garden watering). With 10m PrimoFlex® hose (1/2"), hose connector with and without Aqua Stop, universal connection for taps without thread.	<input type="checkbox"/>
PrimoFlex® hose 1/2" - 20 m	5	2.645-138.0						The robust PrimoFlex® (1/2") garden hose is a 20 m long, temperature-resistant (from -20 to 65°C) and physiologically safe water hose with pressure-proof coating. Bursting pressure: 24 bar.	<input type="checkbox"/>
PrimoFlex® hose 3/4" - 25 m	6	2.645-142.0						PrimoFlex® quality garden hose (3/4"). 25 m long. With pressure-resistant woven reinforcement. Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from -20 to 65 °C.	<input type="checkbox"/>
Hose Performance Plus 1/2" -20m	7	2.645-318.0							<input type="checkbox"/>
Hose Performance Plus 3/4" -25m	8	2.645-322.0							<input type="checkbox"/>
Performance Premium hose, 1/2" -20 m	9	2.645-324.0							<input type="checkbox"/>
<b>Hose connection systems</b>									
Universal hose coupling Plus	10	2.645-193.0						Universal hose coupling plus with soft plastic recessed grips for comfortable handling. Compatible with all click systems.	<input type="checkbox"/>
Universal hose coupling Plus with Aqua Stop	11	2.645-194.0						Universal hose coupling plus with Aqua Stop and soft plastic recessed grips for comfortable handling. Compatible with all click systems.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.